

Department of Oral and Maxillofacial Surgery

Arthrocentesis (wash out) of jaw joint

This leaflet has been designed to improve your understanding of any forthcoming treatment and contains answers to many of the commonly asked questions. If you have any other questions that the leaflet does not answer or would like further explanation please ask your surgeon.

The problem

The disc of cartilage which lies in your jaw joint has moved out of its normal position between the bones.

What is a jaw joint arthrocentesis?

An arthrocentesis is a procedure during which the jaw joint is washed out with sterile fluid. It aims to return the disc of cartilage to its normal position within the joint.

What does the treatment involve?

An arthrocentesis usually takes place under a general anaesthetic. This means you will be put to sleep for the entire procedure. While you are asleep, two small needles will be inserted into the jaw joint. One of these needles allows sterile fluid to be pumped into the joint under pressure. The second needle allows fluid to be drained out of the joint.

Will anything else be done at the same time?

While you are asleep, your lower jaw will often be manipulated in an attempt to encourage the disc of cartilage back into its normal position.

How will I feel after the operation?

- The area in and around the jaw joint is often uncomfortable for a day or two after the procedure.
- You may find it necessary to take simple painkillers, for example Ibuprofen, during this time.
- There will be some swelling in front of your ear.
- You may also find it difficult to open your jaw for a few weeks.

Will I need another appointment?

You will need to return a few weeks after surgery to have your jaw joint checked by your surgeon. Arthrocentesis is not always successful and even in those people who have an improvement following the procedure it can take several months for this to occur.

Please ask if you require this information in other languages, large print or audio format: 01223 216032 or patient.information@addenbrookes.nhs.uk

Potete chiedere di ottenere queste informazioni in altre lingue, in stampato grande o in audiocassetta.

Italian

若你需要本信息的繁體中文、大字體或音訊格式的版本，請要求索取。

Cantonese

तमने आ माळिती बीछ भाषाओमां, मोटा अक्षरोमां अथवा सांभली शकाय जेवा माध्यम (ओडीओ इमेज)मां जेठती छीय तो कृपा करीने पूछो.

Gujarati

تکایہ پرسیار بکہ نہ گہر نہ وزانیاریہت دہوی بہ زمانیکی تر . بہ بیٹی گہورہ یانیش بہ شیوہی دہنگ

Kurdish

آگر آپ کو یہ معلومات دوسری زبانوں میں، بڑے الفاظ کی اشاعت میں یا آڈیو ٹیپ پر درکار ہوں تو براۓ مہربانی اس کیلئے درخواست کریں۔

Urdu



Addenbrooke's is smoke-free. Please do not smoke anywhere on the site.
For advice on quitting, contact your GP or the NHS smoking helpline free, 0800 169 0 169

Document history

Authors	David Adlam
Department	Oral and Maxillofacial Surgery Addenbrooke's Hospital, Cambridge University Hospitals NHS Foundation Trust, Hills Road, Cambridge, CB2 0QQ www.addenbrookes.nhs.uk
Contact number	01223 216635
Published	October 2005
Reviewed and reissued	August 2007 (no changes made)
Review date	August 2009
File name	arthrocentesis.doc
Version number	2
Ref	675