

Department of Oral and Maxillofacial Surgery

Exposure of impacted upper canine

This leaflet has been designed to improve your understanding of any forthcoming treatment and contains answers to many of the commonly asked questions. If you have any other questions that the leaflet does not answer or would like further explanation please ask your surgeon.

The problem

The canine, or eye tooth, normally erupts into the mouth between the ages of 11 and 13. Sometimes one or both canines develop in the wrong position. Often they lie across the roof of the mouth behind the front teeth.

Why do I need treatment?

As a result of one or other of your canines developing in the wrong place part of your on-going orthodontic treatment is necessary to help the tooth erupt into the mouth. If left alone the tooth will not erupt normally and may either damage the roots of the front teeth or push them out of position.

What does the treatment involve?

Helping the tooth erupt into your mouth involves a relatively minor surgical procedure. This usually takes place under a 'day case' general anaesthetic - although you are put to sleep completely you will be able to go home on the same day as surgery. While you are asleep, the gum lying over the canine will be pushed back. Occasionally some of the bone surrounding the crown of the tooth also needs to be removed.

How will the orthodontist pull the tooth into the correct position?

Once the canine is exposed, one of three things will happen under the same anaesthetic. What is going to happen for you will already have been discussed with the surgeon. The options of treatment are:

Bracket and chain. A small bracket is glued to the tooth. Attached to this is a chain which your orthodontist can then use to pull the tooth into the right position. The

chain is usually stitched out of the way but it is quite delicate and therefore it is important to be careful when eating for the first few weeks after surgery.

A plate. Sometimes a small window will be cut in the gum over the tooth and a plastic 'dressing' plate put in place to cover the area. This plate is held in your mouth with clips that attach to some of your back teeth. It is important that you wear the plate all the time except when you take it out to clean your teeth. Without the plate the gum may grow back, making it difficult for the orthodontist to move the tooth into position.

A pack. Sometimes a pack made from gauze soaked in an antiseptic is placed over the tooth after it is exposed. The pack is kept in position with stitches and removed after a few weeks. You must be careful not to dislodge the pack. If this happens you should contact the department for advice.

Sometimes it is necessary to hold the gum back in the right position with stitches at the end of the operation. These are usually dissolvable and take about two weeks to disappear. If non resorbable stitches are used they are removed at the review appointment.

Is there much pain or swelling?

All of the above procedures are not particularly painful but you will obviously experience some soreness afterwards. There is usually very little in the way of swelling. If it is likely to be sore your surgeon will arrange painkillers for you. It is not usually necessary to take antibiotics.

Will I need another appointment?

You will need to return a few weeks after surgery to have the area checked by your orthodontist or surgeon. Further appointments after this will obviously be necessary for your on-going orthodontic care.



Addenbrooke's is smoke-free. You cannot smoke on site. For advice on quitting, contact your GP or the NHS smoking helpline free, 0800 169 0 169

Please ask if you require this information in other languages, large print or audio format: 01223 216032 or patient.information@addenbrookes.nhs.uk

Informacje te można otrzymać w innych językach, w wersji dużym drukiem lub audio. Zamówienia prosimy składać pod numerem: 01223 216032 lub wysyłając e-mail: patient.information@addenbrookes.nhs.uk

Polish

Se precisar desta informação num outro idioma, em impressão de letras grandes ou formato áudio por favor telefone para o 01223 216032 ou envie uma mensagem para: patient.information@addenbrookes.nhs.uk

Portuguese

Если вам требуется эта информация на другом языке, крупным шрифтом или в аудиоформате, пожалуйста, обращайтесь по телефону 01223 216032 или на вебсайт patient.information@addenbrookes.nhs.uk

Russian

若你需要此信息的其他語言版本、大字體版或音頻格式，請致電 01223 216032 或發郵件到: patient.information@addenbrookes.nhs.uk

Cantonese

Bu bilgiyi diger dillerde veya büyük baskılı ya da sesli formatta isterseniz lütfen su numaradan kontak kurun: 01223 216032 veya asagıdaki adrese e-posta gönderin: patient.information@addenbrookes.nhs.uk

Turkish

এই তথ্য বাংলায়, বড় অক্ষরে বা অডিও টেপে পেতে চাইলে দয়া করে 01223 216032 নম্বরে ফোন করুন বা patient.information@addenbrookes.nhs.uk ঠিকানায় ই-মেইল করুন।

Bengali

Document History

Authors	Mr David Adlam
Department	Addenbrooke's Hospital, Cambridge University Hospitals NHS Foundation Trust, Hills Road, Cambridge, CB2 0QQ www.addenbrookes.org.uk
Contact number	01223 216413
Published	January 2006 (reviewed and re-issued January 2008, no changes made.)
Review date	January 2010
File name	Canines.doc
Version number	2
Ref	PIN 678