

Please ask if you require this information in other languages, large print or audio format: 01223 216032 or [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

Potete chiedere di ottenere queste informazioni in altre lingue, in stampato grande o in audiocassetta.

### Italian

若你需要本信息的繁體中文、大字體或音訊格式的版本，請要求索取。

### Cantonese

તમને આ માહિતી બીજી ભાષાઓમાં, મોટા અક્ષરોમાં અથવા સાંભળી શકાય એવા માધ્યમ (ઓડીઓ ફોર્મેટ)માં જોઈતી હોય તો કૃપા કરીને પૂછો.

### Gujarati

تکایہ پرسیار بگہ نہ گہر نہوزانیاریہت دہوی بہ زمانیکی تر ، بہ پیتی گہورہ یانیش بہ شیوہی دہنگ

### Kurdish

آگپ کو یہ معلومات دوسری زبانوں میں، بڑے الفاظ کی اشاعت میں یا آڈیو ٹیپ پر درکار ہوں تو برائے مہربانی اس کیلئے درخواست کریں۔

### Urdu



Addenbrooke's is smoke-free. Please do not smoke anywhere on the site.

For advice on quitting, contact your GP or the NHS smoking helpline free, 0800 169 0 169

### Document History

Authors	Cardiology
Department	Addenbrooke's Hospital, Cambridge University Hospitals NHS Foundation Trust, Hills Road, Cambridge, CB2 2QQ <a href="http://www.addenbrookes.org.uk">www.addenbrookes.org.uk</a>
Contact number	01223 216513
Published	January 2007
Review date	January 2009
File name	Exercise_tests_opts.doc
Version number	2
Ref	PIN 1569

# Cardiology

## Patient Information

### A guide to exercise tests for outpatients

## What is an exercise test?

This test is also known as a stress test or treadmill test. It is designed to see how your heart performs during exercise. You are connected to a heart monitor and blood pressure cuff. You are then asked to walk on a treadmill, starting slowly and gradually increasing your speed. The treadmill machine is similar to a treadmill in a gym and an incline is used to increase the effort required. There is no pass or fail.

## Why do I need to have an exercise test?

This test is a good way of assessing whether your chest pain or discomfort is indeed caused by coronary heart disease. It may be due to other problems.

If we already know you have coronary heart disease or angina, exercise testing can help the doctor assess the condition of your heart and plan further treatment.

**Whilst an exercise test is considered a low risk procedure, complications can arise which may include:**

- **Chest pain**
- **Breathlessness**
- **Dizziness**
- **Palpitations**
- **1 in 1000 risk of major complications such as a heart attack**

Exercise tolerance tests are supervised by a health professional. They will stop the tests if signs of distress are seen or if enough information is gained.

## Preparation for the test

It is advisable not to eat a heavy meal within two hours of the test. Wear lightweight clothing to avoid over-heating and flat comfortable shoes.

## What happens?

You will be connected to an ECG system and blood pressure cuff and advised about the exercise test procedure on the treadmill. ECG stands for electrocardiogram; this records the electrical activity of the heart. Small electrodes are attached to the chest with sticky pads and then connected to an ECG machine. This picks up and amplifies the electrical signals produced with each heartbeat and is recorded on a chart. An ECG does not affect your heart in any way and it should not cause discomfort.

The exercise test starts off at a slow walking pace and is then made progressively harder by increasing the speed and incline. You will be supervised throughout the test and your ECG readings, blood pressure and breathing will be carefully monitored. The staff will advise you when to stop. You will be in the department for approximately 30 minutes by which time the staff will have all the measurements they need. It can be hard work and do ask to stop if you experience pain, excessive shortness of breath or fatigue at any time. Most people are surprised at how much they can achieve.

If you cannot do the test due to other conditions limiting you, for example lung disease or severe arthritis, we may recommend you have other tests instead.

## Results

You will be asked to rest in the outpatient department after the test for approximately 15 to 20 minutes. This allows for recovery. If significant changes are seen on either ECG or the blood pressure readings, this may indicate that you need to have further investigations or treatment.